

# Safety Data Sheet Cratex Rubber Grinding Products

328 Encinitas Blvd, Ste 200, Encinitas, Ca 92024

#### www.cratex.com

**SECTION I –** PRODUCT IDENTIFICATION AND MANUFACTURING COMPANY

Manufacturer: Cratex Manufacturing Co., Inc. 328 Encinitas Blvd. #200, Encinitas, California 92024 Email: <u>sales@cratex.com</u>	Manufacture Contact Information: Call: 760.942.2877 (Monday-Friday 7 A.M. – 4 P.M.) If calling from outside United States use country code (01)
Contact Approved by: Engineering Department Date of Issue: 01/01/2021	Issued by: Cratex Manufacturing Co. According to OSHA, ANSI B7.1 and Hazard Communication Standard (HCS).

SECTION II – CHEMICAL (S) IDENTIFICATION		
Trade Name(S): Bonded Molded Abrasive	Chemical Name: Silicon Carbide, Aluminum Oxide,	
Products	Synthetic Fiberglass, Rubber and Synthetic polymers.	
	No hazardous material is present in concentration greater than 1%	

## SECTION III – HAZARD(S) IDENTIFICATION

2.1. Overview in case of emergency

Health

Not Hazardous No information available

Physical

Solid that under normal conditions of use is not dangerous. It can be harmful in case of ingestion.

### May cause respiratory and eye irritation.

Environment

Toxic

**Classification:** 



Use as prescribed by ANSI B7.1

2.2. Potential adverse effects on health **Routes of** exhibition:

Eyes	The emission of particles can cause mild irritation and produce redness	
Skin	It can cause dryness	
Ingestion	It can cause abdominal pain	
Inhalation	Excessive exposure to dust generated by the piece can cause coughing and respiratory distress	
Chronic effects	None reported	



Page 1 of 2

2.3. Potential Effects for the Environment

May be toxic to aquatic and terrestrial life

SECTION IV – FIRST AID MEASURES		
Eye contact	Immediately flush eyes with water for at least 15-20 minutes. Get medical attention if irritation continues.	
Skin contact	Dry skin is usually harmless, but when it's not cared for, dry skin may lead to: Atopic dermatitis (eczema). Seek medical attention if irritation or symptoms of over exposure continues.	
Ingestion Contact	Accidental ingestion of this material is very unlikely, should this happen seek medical attention right away.	
Inhalation Contact	Always use respiratory protection equipment. If dust is inhaled, remove the person affected to fresh air. If symptoms persist, seek medical attention.	

## **SECTION V – HANDLING**

• You must make an initial inspection in the original box; if there is visible evidence of damage the merchandise should not be accepted used.

• The recommended and adequate eye, face, hearing, manual and body protection equipment should always be worn.

•If a wheel falls, fractures or is suspected of having some damage, it should not be mounted. This will prevent detachment injuries.

• Respect the recommended speed limits for the product as it may disintegrate during use and cause injury.





## SECTION VI. STORAGE

- Store the wheels on a flat surface and do not hit them, or drop them.
- The wheels should not be exposed to:
  - (a) Water and other solvents.
  - (b) Extreme temperatures or humidity conditions.

For more information consult the ANSI B7.1 standard.

Page 2 of 2